
- 1. Recommend using heavily starched fabrics.
- 2. Lay fabrics flat; right sides facing each other; dark fabric on top.
- 3. Cut into 10 square-pairs.
- ** Squares should be 2-7/8" x 2-7/8" **
- 4. Cut each square-pair on the diagonal to make 2 triangle-pairs.
- ** Total 20 triangle-pairs **


BEFORE SEWING, CHECK OUT THE TIP ON THE NEXT PAGE FOR TRIMMING TO FIND A REFERENCE POINT FOR MAKING IT SQUARE AFTER SEWING.


- 5. Sew a scant 1/4" seam along the diagonal of each triangle pair.
- 6. Press open carefully to make 20 Half-Square Triangle (HST) units. Recommend pressing toward dark.





- 1. Recommend using heavily starched fabrics.
- 2. Lay fabrics flat; right sides facing each other; dark fabric on top.
- 3. Cut into 1 square-pair.
- ** Squares should be 8-7/8" x 8-7/8" **
- 4. Cut the square-pair on the diagonal to make 2 triangle-pairs.
- 5. Sew a scant 1/4" seam along the diagonal of each triangle pair.
- 6. Press open carefully to make a Half-Square Triangle (HST) unit that is 8-1/2" x 8-1/2". Recommend pressing toward dark.





TIP:


With dark fabric on top and triangles rotated as shown, measure 2-1/2" from the left and trim off the "nose".


To stitch, start with the pointy end at the needle.

When stitching, make sure the seam passes slightly to the right of the bottom-right point. DO NOT SEW THROUGH THE POINT.

When pressing open, make sure the bottom right corner is square. Carefully press the dark triangle up to form the square. The HST should finish to the correct size.

For the center HST, measure 8-1/2" from left to trim the "nose."






Rotate the HST sets and lay out around the large HST.

Stitch the sets of 4 to the sides; the sets of 6 to the top and bottom.

- ** the small light triangles will be stitched to the large light triangle. **
- ** the small dark triangles will be stitched to the large dark triangle. **



Lady of the Lake Finished